


# Do I need to keep my child off school?



<b>Chicken Pox</b> At least 5 days from onset of rash and until all spots have crusted over	<b>Conjunctivitis</b> No need to stay off but school or nursery should be informed	<b>Diarrhea &amp; /or Vomiting</b> 48 hours from last episode	<b>Respiratory Illness</b> (e.g colds & flu) Can return when no longer have a high temperature and well enough	<b>Glandular Fever</b> No need to stay off but school or nursery should be informed	
<b>Hand, foot &amp; mouth</b> No need to stay off if well enough, but school or nursery should be informed	<b>Impetigo</b> Until lesions are crusted & healed or 48 hours after commencing antibiotics	<b>Head Lice</b> No need to stay off but school or nursery should be informed	<b>Measles</b> 4 days from onset of rash	<b>Mumps</b> 5 days from onset of swelling	<b>German Measles (Rubella)</b> 5 days from onset of rash
<b>Scarlet Fever</b> 24 hours after commencing antibiotics	<b>Scabies</b> Until after first treatment	<b>Slapped Cheek</b> No need to stay off but school or nursery should be informed	<b>Threadworms</b> No need to stay off but school or nursery should be informed	<b>Tonsillitis</b> Can return when no longer have a temperature and well enough, school or nursery should be informed	<b>Whooping Cough</b> 48 hours after commencing antibiotics

Use this guide to find out when they should stay off, and when they can go back if they are well enough to do so.